

Steven M. Ruben
Appl. No. 10/662,429

Human Genome Sciences, Inc.
Project Worksheet
IGS tumor necrosis factor (TNF-alpha)

Fri, Dec 3, 1999
Page 1

Project Information

Project Name	tumor necrosis factor (TNF-alpha)
Project Code	
Project Status	Active
HGS Code	25750
Clone ID	HTPAN08
Library	Human Pancreas Tumor
Patent Status	
PTO Serial #	
Created By	Ann Kim
Date Created	2/8/94
Date Modified	2/8/94

General Comments

HGS FULL LENGTH PROJECTS

HGS #: DATE:

CLONE DESIGNATION:

TISSUE SOURCE:

SB PROJECT #(if any):

GENE MATCH:

HGS SCIENTIST(S):

POTENTIAL MEDICAL APPLICATION:

BASIC RESEARCH APPLICATION:

POTENTIAL PHARMACEUTICAL COLLABORATORS:

POTENTIAL ACADEMIC COLLABORATORS:

PATENT INFORMATION:

RESULTS (Dated)

NUCLEOTIDE BLAST ANALYSIS:

PROTEIN BLAST ANALYSIS:

Query= HTPAN08R
(568 letters)

Translating both strands of query sequence in all 6 reading frames



Human Genome Sciences, Inc.
Project Worksheet
tumor necrosis factor (TNF-alpha)

Fri, Dec 3, 1999
Page 1

Project Information

Project Name tumor necrosis factor (TNF-alpha)
Project Code
Project Status Active
HGS Code 25750
Clone ID HTPAN08
Library Human Pancreas Tumor
Patent Status
PTO Serial #
Created By Ann Kim
Date Created 2/8/94
Date Modified 2/8/94

General Comments

HGS FULL LENGTH PROJECTS

HGS #: DATE:

CLONE DESIGNATION:

TISSUE SOURCE:

SB PROJECT #(if any):

GENE MATCH:

HGS SCIENTIST(S):

POTENTIAL MEDICAL APPLICATION:

BASIC RESEARCH APPLICATION:

POTENTIAL PHARMACEUTICAL COLLABORATORS:

POTENTIAL ACADEMIC COLLABORATORS:

PATENT INFORMATION:

RESULTS (Dated)

NUCLEOTIDE BLAST ANALYSIS:

PROTEIN BLAST ANALYSIS:

Query= HTPAN08R
 (568 letters)

Translating both strands of query sequence in all 6 reading frames

Ruben EXHIBIT 2098
Ruben v. Wiley et al.
Interference No. 105,077
RX 2098



Human Genome Sciences, Inc.
Project Worksheet
tumor necrosis factor (TNF-alpha)

Fri, Dec 3, 1999
Page 2

Database: nr
107,605 sequences; 30,094,510 total letters.
Searching.....done

Sequences producing High-scoring Segment Pairs:					Reading Frame	High Score	Smallest Poisson Probability P(N)	N
gp U03470	RNU03470_1	ligand for Fas antigen [Rattus n...	+1	84	0.00093	1		
gp X01394	HSTNFR_3	Human mRNA for tumor necrosis fa...	+1	74	0.021	1		
gp M30964	SYNHUMINF_1	Synthetic human tumor necrosis f...	+1	74	0.021	1		
gp L09754	MUSCD30_1	CD30 antigen [Mus musculus]	+1	52	0.024	2		
gp X02910	HSTNFA_1	TNF-alpha [Homo sapiens] >gp Z15...	+1	74	0.025	1		
gp M10988	HUMINFAA_1	TNFA gene product [Homo sapiens]...	+1	74	0.025	1		
gp X62141	PSPINF_1	tumor necrosis factor [Papio sp....	+1	74	0.025	1		
gp M35592	SYNINFTRP_1	Synthetic human tumor necrosis f...	+1	74	0.025	1		
gp M29079	PIGINFA_1	Porcine tumor necrosis factor al...	+1	72	0.045	1		
gp L19123	RATTNFA_1	tumor necrosis factor-alpha [Rat...	+1	72	0.048	1		

WARNING: Descriptions of 71 database sequences were not reported due to the limiting value of parameter V = 10.

>gp|U03470|RNU03470_1 ligand for Fas antigen [Rattus norvegicus]
Length = 278

Plus Strand HSPs:

Score = 84 (39.4 bits), Expect = 0.00093, P = 0.00093
Identities = 15/34 (44%), Positives = 23/34 (67%), Frame = +1

Query: 226 GHSFLSNLHLRNGELVIHEKGFYIYSQIYFRFQ 327
G + +S + + G LVI+E G Y++YS+ YFR Q
Sbjct: 164 GTALISGVKYKKGGLVINEAGLYFVYSKVYFRGQ 197

Score = 53 (24.9 bits), Expect = 0.0021, Poisson P(2) = 0.0021
Identities = 10/29 (34%), Positives = 17/29 (58%), Frame = +1

Query: 394 YFGPILLMKSARIWGLKMQIWXYSTIKG 480
YFG ++LM+ ++ QIW +S+ G
Sbjct: 215 YPGDLVLMEEKKLNYCTTGQIWAHSSYLK 243

>gp|X01394|HSTNFR_3 Human mRNA for tumor necrosis factor [Homo sapiens]
Length = 157

Plus Strand HSPs:



Human Genome Sciences, Inc.
Project Worksheet
tumor necrosis factor (TNF-alpha)

Fri, Dec 3, 1999
Page 3

Score = 74 (34.7 bits), Expect = 0.021, P = 0.021
Identities = 14/40 (35%), Positives = 23/40 (57%), Frame = +1

Query: 208 WESSRSGHSFSLNHLRNGELVIHEKGFYYTYSQTYFRFQ 327
W + R+ + + LR+ +LV+ +G Y IYSQ F+ Q
Sbjct: 28 WLNRRANALLANGVELRDNLVVPSEGLYLIYSQVLFKGQ 67

>gp|M30964|SYNHUMINF_1 Synthetic human tumor necrosis factor (TNF) gene,
complete cds. [Artificial gene] >gp|A00362|A00362_1 tumor necrosis
factor alpha [None]
Length = 158

Plus Strand HSPs:

Score = 74 (34.7 bits), Expect = 0.022, P = 0.021
Identities = 14/40 (35%), Positives = 23/40 (57%), Frame = +1

Query: 208 WESSRSGHSFSLNHLRNGELVIHEKGFYYTYSQTYFRFQ 327
W + R+ + + LR+ +LV+ +G Y IYSQ F+ Q
Sbjct: 29 WLNRRANALLANGVELRDNLVVPSEGLYLIYSQVLFKGQ 68

SECOND WALK PROTEIN BLAST:

Query= HTPAN08Rp01
(342 letters)

Translating both strands of query sequence in all 6 reading frames

Database: nr
107,605 sequences; 30,094,510 total letters.
Searching.....done

			Reading	High	Smallest	
			Frame	Score	Poisson	
Sequences producing High-scoring Segment Pairs:					Probability	
					P(N)	N
gp L11015 HUMLYTOXBA_1	lymphotoxin-beta [Homo sapiens]...	+1	78	0.0019	1	
gp X64387 VCHAG_2	haemagglutinin associated prote...	+1	46	0.022	2	
pir S25359 S25359	hypothetical protein YKL525 - y...	+1	42	0.20	3	
gp X64097 VCRVC_7	V.cholerae DNA for RVC repeated...	+2	44	0.60	2	
pir S15111 S15111	Hemorrhagic factor LHFII - Bush...	+1	38	0.76	2	
gp X56015 MICOENNR_2	NADH dehydrogenase subunit 4 [M...	-1	40	0.77	2	
gp M69077 PRDCG_13	Bacteriophage PRD1, complete ge...	-1	39	0.77	2	
gp M33581 MUSMDR1A_1	Mouse P-glycoprotein (mdrla) mR...	+1	40	0.78	3	
gp M30697 MUSMDRAA_1	Mouse multidrug resistance prot...	+1	40	0.78	3	
gp X14828 CHINFA_1	Goat mRNA for tumour necrosis f...	+1	58	0.85	1	
pir S06192 S06192	tumor necrosis factor alpha pre...	+1	58	0.85	1	



gp M22647 PIGAPOB02_1	Pig apolipoprotein B gene (Lpb)...	+2	36	0.89	3
gp X03614 PAMFHN1_1	Sendai virus (strain Z) genome ...	-1	55	0.91	1
gp L19357 CRULGPB_1	lysosomal membrane glycoprotein...	-2	54	0.92	1
gp M97501 HUMCLIP_1	cytoplasmic linker protein-170 ...	+1	41	0.93	2
gp X64838 HSRESTIN_1	restin [Homo sapiens] >pir S226...	+1	41	0.94	2
pir S13421 S13421	Globin - Brine shrimp 0.0 0.0...	-1	36	0.95	3
pir JT0382 JT0382	apolipoprotein B - pig (fragmen...	+2	36	0.95	3
gp M35105 RATCROS1B_1	Rat lung-derived L01 c-ros-1 pr...	+1	38	0.96	3
gp X58886 SVLARGEP_2	reverse peptide [Sendai virus]	-1	54	0.97	1

WARNING: Descriptions of 2 database sequences were not reported due to the limiting value of parameter V = 20.

```
>gp|L11015|HUMLYTOXBA_1 lymphotoxin-beta [Homo sapiens] >gp|L11016|HUMLYTOXBB_1
  lymphotoxin-beta [Homo sapiens] >pir|A46066|A46066 lymphotoxin beta
  - human | 0.0 0.0 0.0 0.0 0.0
  Length = 244
```

Plus Strand HSPs:

Score = 78 (37.6 bits), Expect = 0.0019, P = 0.0019
Identities = 12/37 (32%), Positives = 25/37 (67%), Frame = +1

```
Query: 151 GGIXELKENDRILVSVINEHLIDMDHEASFFGAFLVG 261
      GG+ +L+ +R+ V++++ ++D +FFGA +VG
Sbjct: 208 GGLVQLRRGERVYVNLSHPDMVDFARGKTFFGAVMVG 244
```

LENGTH OF CLONE(nucleotides):
PREDICTED LENGTH OF FULL LENGTH:
METHOD TO OBTAIN FULL LENGTH:
TISSUE DISTRIBUTION (alternate splicing?):

PROTEIN EXPRESSION:

FUNCTIONAL STUDIES (completed and planned):

TERMINATION (REASON):

Protein BLAST Analysis

Protein BLAST of the Reverse sequence

Smallest



Human Genome Sciences, Inc.
Project Worksheet
tumor necrosis factor (TNF-alpha)

Fri, Dec 3, 1999
Page 5

Sequences producing High-scoring Segment Pairs:			Reading Frame	High Score	Poisson Probability P(N)	N
gp U03470	RNU03470_1	ligand for Fas antigen [Rattus n...	+2	85	0.00028	1
gp S52010	S52010_2	orf1 5' of EpoR, orf2 5' of EpoR...	-3	45	0.18	2
gp X01394	HSTNFR_3	Human mRNA for tumor necrosis fa...	+2	65	0.21	1
gp M30964	SYNHUMINF_1	Synthetic human tumor necrosis f...	+2	65	0.21	1
gp X02910	HSTNFA_1	TNF-alpha [Homo sapiens] >gp Z15...	+2	65	0.23	1
gp M10988	HUMINFAA_1	TNFA gene product [Homo sapiens]...	+2	65	0.23	1
gp X62141	PSPINF_1	tumor necrosis factor [Papio sp....	+2	65	0.23	1
gp M35592	SYNINFTRP_1	Synthetic human tumor necrosis f...	+2	65	0.23	1
pir C21124	C21124	Bkm-like sex-determining region ...	-1	39	0.49	2
gp K01664	DRORSXA_1	D.melanogaster Bkm-like DNA (pro...	-1	39	0.49	2

WARNING: Descriptions of 28 database sequences were not reported due to the limiting value of parameter V = 10.

>gp|U03470|RNU03470_1 ligand for Fas antigen [Rattus norvegicus]
Length = 278

Plus Strand HSPs:

Score = 85 (39.4 bits), Expect = 0.00028, P = 0.00028
Identities = 15/34 (44%), Positives = 22/34 (64%), Frame = +2

Query: 86 GNKFSLNLHLRNGELVTHEKGFYYTYSQTYFRFQ 187
G +S + + G LVI+E G Y++YS+ YFR Q
Sbjct: 164 GTALISGVKYKKGGLVINEAGLYFVYSKVYFRGQ 197

Protein BLAST of the CONTIG containing reverse sequence and second and third walks

Sequences producing High-scoring Segment Pairs:			Frame	Score	P(N)	N
gp U03470	RNU03470_1	ligand for Fas antigen [Rattus n...	+2	84	0.00029	1
gp X01394	HSTNFR_3	Human mRNA for tumor necrosis fa...	+2	74	0.0085	1
gp M30964	SYNHUMINF_1	Synthetic human tumor necrosis f...	+2	74	0.0086	1
gp X02910	HSTNFA_1	TNF-alpha [Homo sapiens] >gp Z15...	+2	74	0.0098	1
gp M10988	HUMINFAA_1	TNFA gene product [Homo sapiens]...	+2	74	0.0098	1
gp X62141	PSPINF_1	tumor necrosis factor [Papio sp....	+2	74	0.0098	1
gp M35592	SYNINFTRP_1	Synthetic human tumor necrosis f...	+2	74	0.0098	1
gp M35027	VACCG_237	Vaccinia virus, complete genome....	-2	46	0.011	2
gp M29079	PIGINFA_1	Porcine tumor necrosis factor al...	+2	72	0.019	1
gp L19123	RATTNFA_1	tumor necrosis factor-alpha [Rat...	+2	72	0.020	1



WARNING: Descriptions of 94 database sequences were not reported due to the limiting value of parameter V = 10.

>gp|U03470|RNJ03470_1 ligand for Fas antigen [Rattus norvegicus]
Length = 278

Plus Strand HSPs:

Score = 84 (42.3 bits), Expect = 0.00029, P = 0.00029
Identities = 15/34 (44%), Positives = 23/34 (67%), Frame = +2

Query: 179 GHSFLSNLHLRNGELVIHEKGFYYTYSQTYFRFQ 280
G + +S + + G LVI+E G Y++YS+ YFR Q
Sbjct: 164 GTALISGVKYKKGGLVINEAGLYFVYSKVYFRGQ 197

>gp|X01394|HSTNFR_3 Human mRNA for tumor necrosis factor [Homo sapiens]
Length = 157

Plus Strand HSPs:

Score = 74 (37.3 bits), Expect = 0.0086, P = 0.0085
Identities = 14/40 (35%), Positives = 23/40 (57%), Frame = +2

Query: 161 WESSRSGHSFLSNLHLRNGELVIHEKGFYYTYSQTYFRFQ 280
W + R+ + + LR+ +LV+ +G Y IYSQ F+ Q
Sbjct: 28 WLNRRANALLANGVELRDNQLVVPSEGLYLIYSQVLFKGQ 67

>gp|M30964|SYNHUMINF_1 Synthetic human tumor necrosis factor (TNF) gene,
complete cds. [Artificial gene] >gp|A00362|A00362_1 tumor necrosis
factor alpha [None]
Length = 158

Plus Strand HSPs:

Score = 74 (37.3 bits), Expect = 0.0086, P = 0.0086
Identities = 14/40 (35%), Positives = 23/40 (57%), Frame = +2

Query: 161 WESSRSGHSFLSNLHLRNGELVIHEKGFYYTYSQTYFRFQ 280
W + R+ + + LR+ +LV+ +G Y IYSQ F+ Q
Sbjct: 29 WLNRRANALLANGVELRDNQLVVPSEGLYLIYSQVLFKGQ 68

Query= HITPAN08Rev + Walks+ Forward Sequences
(1198 letters)



Human Genome Sciences, Inc.
Project Worksheet
tumor necrosis factor (TNF-alpha)

Fri, Dec 3, 1999
Page 7

Translating both strands of query sequence in all 6 reading frames

Database: nr

113,553 sequences; 31,868,292 total letters.

Searching.....done

Sequences producing High-scoring Segment Pairs:			Reading Frame	High Score	Smallest Poisson Probability P(N)	N
pir S A40201	artifact-warning sequence (trans...	+1	241	2.7e-77	3	
pir S C40201	artifact-warning sequence (trans...	+3	246	1.3e-59	2	
pir S F40201	artifact-warning sequence (trans...	+1	180	1.0e-21	2	
pir S D40201	artifact-warning sequence (trans...	+1	81	2.1e-19	4	
gp X55777 HSMCHHS_2	H.sapiens Mahlavu hepatocellular...	+1	190	2.3e-19	1	
gp L27065 HUMNF2A_1	NF2 gene product [Homo sapiens]	-3	139	3.7e-14	1	
pir S E40201	artifact-warning sequence (trans...	+3	98	2.5e-12	4	
gp L20321 HUMSTK2A_1	protein serine/threonine kinase ...	-1	137	3.7e-12	1	
gp S58722 S58722_1	X-linked retinopathy protein {3'...	-1	128	1.8e-11	1	
pir S A46010	X-linked retinopathy protein (C...	-1	128	1.8e-11	1	
gp M84237 HUMIGTB1A_2	integrin beta-1 subunit [Homo sa...	-3	116	9.6e-11	1	
pir S A42442	beta 1 integrin subunit, beta 1S...	-3	116	9.6e-11	1	
gp L24521 HUMTRRP_1	transformation-related protein [...	-3	120	9.7e-10	1	
gp L11672 HUMKRUPZN_1	zinc finger protein [Homo sapiens]	+2	108	6.1e-08	1	
gp U03470 RNU03470_1	ligand for Fas antigen [Rattus n...	+1	84	1.3e-06	2	
gp X14828 CHINFA_1	Goat mRNA for tumour necrosis fa...	+1	65	2.8e-06	2	
pir S S06192	tumor necrosis factor alpha prec...	+1	65	2.8e-06	2	
pir S B26359	decay-accelerating factor 2 prec...	-3	96	5.3e-06	1	
gp L26953 HUMPROTXA_1	Homo sapiens chromosomal protein...	+1	101	6.2e-06	1	
gp A06305 A06305_1	lymphotoxin [None]	+1	99	7.2e-06	1	
gp X77317 CHINFAMR_1	tumour necrosis factor alpha [Ca...	+1	63	7.8e-06	2	
pir S B32877	tumor necrosis factor beta precu...	+1	99	8.3e-06	1	
pir S S34742	lymphotoxin - human	+1	99	8.3e-06	1	
pir S S26951	tumor necrosis factor beta - human	+1	99	8.3e-06	1	
gp A00324 A00324_1	tumor necrosis factor beta [Arti...	+1	99	8.4e-06	1	

>gp|U03470|RNU03470_1 ligand for Fas antigen [Rattus norvegicus]
Length = 278

Plus Strand HSPs:

Score = 84 (40.3 bits), Expect = 0.0017, P = 0.0017

Identities = 15/34 (44%), Positives = 23/34 (67%), Frame = +1

Query: 85 GHSFLSNLHLRNGELVIHEKGFYYTIYSQTYFRFQ 186

G + +S + + G LVI+E G Y++YS+ YFR Q

Sbjct: 164 GTALISGVKYYKGGGLVINEAGLYFVYSKVYFRGQ 197



HGS

Human Genome Sciences, Inc.
Project Worksheet
tumor necrosis factor (TNF-alpha)

Fri, Dec 3, 1999
Page 8

Score = 66 (31.7 bits), Expect = 1.3e-06, Poisson P(2) = 1.3e-06
Identities = 12/39 (30%), Positives = 22/39 (56%), Frame = +1

Query: 325 YSTYQGGIFELKENDRILVSVINEHLIDMHEASFFGAF 441
+S Y G +F L D + V+++ LI+ + +FFG +
Sbjct: 238 HSSYLGAVFNLTVADHLYVNISQLSLINFEESKTFFGLY 276

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.